



Rebasing of FTSE/JSE Africa Health Care Equipment & Services (J453) FTSE/JSE Africa Index Series

6 November 2013

Correction of index name in 1st paragraph.

The current capital index value of the FTSE/JSE Africa Health Care Equipment & Services (J453) is very high and the index has a small number of constituents. Changes in constituents' share prices cause exaggerated fluctuations in the index, making the index more difficult to track.

To ensure seamless distribution and maintain the transparency of the index, JSE and FTSE will rebase the J453 index by dividing the index value by 10 after close of business on 5 December 2013. The index will remain an accurate measure of market activity in this sector, whilst complying with distribution requirements. The JSE and FTSE believe this solution will cause minimal disruption to clients and prevent a similar issue arising again.

Clients with historic database values should apply the rebasing after the close of trading on 5 December 2013 and before start of trading on 6 December 2013, to ensure that records remain accurate. High, low, open and close value for the index will also be affected. All TRI index values, earnings yield and dividend yield values will remain unchanged.

No official historic values will be issued.

This change will be implemented from the start of trading on 6 December 2013 provided the Index level does not reach 100,000 points before then; otherwise this change will have to be implemented with immediate effect.

For further information or general enquiries please contact us at info@ftse.com or indices@jse.co.za or call:

Client Services in UK: Client Services in Europe, Middle East & Africa:	Tel: +44 (0) 20 7866 1810 Tel: +44 (0) 20 7866 1810
Client Services in US: Client Services in Asia Pacific:	Tel: +1 888 747 FTSE (3873) or +1 212 314 1139 Tel: +852 2164 3333 or +65 6223 3738 or +81 3 3581 2811
JSE Limited:	Tel: +27 11 520 7137

Alternatively please visit our website at www.ftse.com or www.ftsejse.co.za

Terms of Use | Copyright © FTSE