#### SERVICE HOTLINE

#### **REFERENCE NUMBER: 244/2018**

2 November 2018

### FEEDBACK REGARDING 20 OCTOBER 2018 JSE MARKET FACING RESILIENCE TEST

#### 1. RESILIENCE TEST BACKGROUND

The JSE conducts at least one Market Facing Resilience Test with external parties to ensure that its operations are executable and that all systems can operate for business from their recovery site.

## 2. FEEDBACK ON OBJECTIVE

# a. Perform a full failover of all infrastructure components and applications to the remote disaster recovery site

The JSE was able to fail over all the infrastructure components to the remote recovery (DR) site. Issues experienced were resolved. See details of issues on <u>section 3</u>

#### b. Conduct testing with clients\*

Application/Service	Requiremen	Results
	t	
Equity Market – Connectivity	Mandatory	Successful
Equity Derivatives Market – Connectivity	Optional	Successful
Commodity Derivatives Market –	Optional	Successful
Connectivity		
Interest Rate and Currencies Market -	Optional	Successful
Connectivity		
BDA – connectivity and enquiry functions	Optional	Not Successful <sup>#</sup>
Clearing Members - connectivity	Optional	Successful
Strate, test connectivity to DR and	Mandatory	Successful
submit test message		
Information Subscribers	Optional	Successful

\*IRESS SIP offering connected with a limited number of clients as agreed with the JSE

<sup>#</sup>Issue was resolved and re-tested post the test

JS≣

Johannesburg Stock Exchange

Tel: +27 11 520 7000 Fax:+27 11 520 8584

www.jse.co.za

### Market / Service:

JSE Equity Market

- JSE Derivative Markets
  - Equity Derivatives
  - Currency Derivatives
- Commodity Derivatives JSE Interest Rate Market

#### Environment(s):

Production

#### Additional Information:

If you have any queries about this announcement, please contact the Client Services Centre on +27 11 520 7777 or <u>Customersupport@jse.co.za</u>

#### Issued By:

ITD : TRT Trading

# — JS≣

# 3. ISSUES EXPERIENCED

#	Issues	Status	Comments	
1	BDA Connectivity	Resolved	Following the test, the JSE engaged its service providers and the	
			connectivity problem on the broken fibre links were fixed. The JSE	
			performed another BDA specific test during the following week proving	
			that connectivity via the JSE's site is restored and fully functional.	
2	Isolated Client	Resolved	These where resolved on the day	
	connectivity issues			